



GOVERNMENT OF ANDHRA PRADESH
ANDHRA PRADESH TOURISM DEVELOPMENT CORPORATION
BIDDING DOCUMENT

Name of the work: Design, construct with supply, installation, testing , commissioning, operation, maintenance and run cable car for 1 year(jig back system – mono cable ropeway) at **kotappakonda** punyakshetram, Narasaraopeta mandal, **Guntur** district, Andhra Pradesh.-on EPC turnkey system .

OFFICE OF THE
SUPERINTENDING ENGINEER
APTDC LTD, VIJAYAWADA,
ANDHRA PRADESH
INDIA

- GOAP – APTDC is inviting Bids for the above work in response to this bid document.
- The Bid document can be down loaded from the web site www.aptourism.gov.in. From 23rd May 2018 till 05th June 2018.

Preamble :

Kotappakonda is one of the famous historic temples, in Guntur District of Andhra Pradesh, located 15 kms south – west of Narasaraopet.. This temple is dedicated to Lord Shiva and is a temporal abode of Trikoteswara swamy. Large number of pilgrim tourists visit this punyakshetram every day. Week ends and festival days , the pilgrim tourists will be more. During the time of Maha shiva ratri an important festival which falls during February – March, is celebrated with great devotion and fervor every year with a large number of devotees thronging this place.

Kotappakonda hill appears with three peaks in any direction. It's also called as Trikutadri, Trikutaparvatham. The three hills are Brahma hill, Vishnu hill, and Rudra hill . These 3 hills can be distinctly seen from a distance from any direction. The Trikoteswara swamy temple is located at Brahma sikharam.

The proposed ropeway is up to main temple for convenience of pilgrim tourists to reach this Brahma sikharam without any difficulty.



2 Instructions to Bidders

A. GENERAL

<p>1. Scope of Bid and Bidding Process</p>	<p>1.1 The Employer named in the BDS invites bids for the project, as briefly described in the BDS and specified in greater detail in these Bidding Documents.</p> <p>1.2 The timelines for the project shall be as mentioned in the BDS</p>
<p>2. Fraud and Corruption</p>	<p>2.1 It is the Employer’s policy to ensure bidders shall, observe the highest standard of ethical conduct during the execution of the scope of work¹. In pursuance of this objective, the Employer:</p> <p>(A) defines, for the purposes of this provision, the terms set forth below as follows:</p> <ul style="list-style-type: none"> (i) “corrupt practice” is the offering, giving, receiving or soliciting, either directly or indirectly, anything of value to improperly influence the actions of another party; (ii) “fraudulent practice” is any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation; (iii) “collusive practice” is an arrangement between two or more parties designed to achieve an improper purpose, including the attempt to improperly influence the actions of another party; (iv) “coercive practice”² is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to improperly influence the actions of a party; (v) “obstructive practice” is

	<p>(a) deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede the investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation;</p> <p style="text-align: center;">or</p>
--	--

In this context, any action taken by a bidder to influence the Bid process for undue advantage is improper.

	<p>(b) Acts intended to materially impede the exercise of the Employer’s inspection and audit rights.</p> <p>(B) shall reject a proposal for award if it determines that the bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive or obstructive practices in competing for the Agreement in question;</p> <p>(C) Shall have the right to inspect their accounts and records and other documents relating to the bid submission and performance of the project.</p>
<p>3. Eligible Bidders</p>	<p>3.1 Bidders shall provide such evidence of their eligibility satisfactorily to the Employer, as the Employer may reasonably request.</p> <p>3.2 All bidders shall have to comply with the eligibility criteria to be declared “Eligible”. The eligibility criteria has been elaborated in</p>

	<p>the BDS.</p> <p>3.3 The decision of the Employer shall be final with respect to the determination of the eligibility of the Bidders.</p> <p>3.4 By submission of documentary evidence in its bid, the Bidder must establish to the Employer's satisfaction that it has the financial and technical capability necessary to perform the scope of work, meets the qualification criteria specified in ITB 3.</p>
<p>4. Conditions Sole and for consortium bids</p>	<p>4.1 The bids may be submitted as a sole bid or as a consortium. In case of a consortium, the number of consortium members should as mentioned in the BDS.</p> <p>4.2 The consortium should identify a lead bidder and jointly meet the eligibility requirements as mentioned in the BDS.</p> <p>4.3 In case of a sole bidder, the sole bidder shall have to meet the eligibility requirements.</p>
<p>5. Cost of Bidding</p>	<p>5.1 The Bidder shall bear all costs associated with the preparation and submission of its bid including inspections to site etc., and the Employer will in no case be responsible or liable for those costs.</p> <p>5.2 The Bidder agrees that all bidding costs and expenses shall be non-refundable.</p>

The scope of work includes “ investigation, design & build ” of the following components.

S.No	Description	Approximate span of the Ropeway	Period of completion
1.	Supply, installation, testing, commissioning, operation, maintenance & run for cable (oneyear)car/Ropeway(Jig back system – monocable)to kotappakonda at Narasaraopet (M), Guntur (DT), Andhra Pradesh	500 Meters	06 Months

1. Scope of work

Supply, installation, testing, commissioning, operation, maintenance & run for cable car/Ropeway(Jig back system monocable) to kotappakonda at Narasaraopet (M), Guntur (DT), Andhra Pradesh state. Including upper & lower stations , waiting halls all incidental works such as barricading works etc.

- i) Preparation of detailed Engineering project report including site survey, sub soil investigation, fixing the alignment, detailed designs and drawings for the Ropeway including the design of foundations, sub structure and super structure , counter weight as per the investigations and design criteria following relevant IS codes. International standards, departmental codes and circulars issued by the department from time to time etc.

- ii) Period of Completion

The time for completion of the project is 6 months.

2. Eligibility and qualification requirements.

For evaluation & selection of a bidder for the project , “ Two stage ” process will be followed.

1. Technical Bid
2. Price Bid

Eligibility Criteria : The proposals of only those bidders who possess the following minimum Technical criteria & financial capability would be technically evaluated and price bids opened.

3. Minimum Eligibility Criteria:

- a) General requirements

1. interested firms should have experience in design, execution, installation, operation and maintenance of Ropeway works and installation. The firm should have experience of executing at least two cable passengers Ariel Ropeway projects.

2. The firm must have at least 5 years of experience in the field of suitable aerial ropeway systems.
3. The non – refundable bid processing fee of Rs 10,000/- to be payable in Demand draft in favour of APTDC LTD, Vijayawada.
4. The bidder should submit certificate from the Chartered Accountant along with all relevant documents including IT returns in support of the Annual turn over (last 5 years)
5. Solvency certificate from any Indian Nationalized / scheduled banks of value not less than Rs 5 Crores shall be submitted in the prescribed proforma.
6. The department reserves the right to relax the condition required for eligibility of the bidders in public interest . The bidder shall not have any right to question the decision taken by the employer in this regard.
7. Department reserves the right to accept or reject any or all the bids with out arising any reasons what so ever.
Interested contractors may obtain further information from the O/o the Superintending Engineer, APTDC LTD, Vijayawada during the working hours.
8. Emd/Bid security 5 lakhs to be enclosed to the bid.

Details of the Bidder / Contractor

Name of the Contactor:

Address :

Tel Ph.No :

Fax :

Email :

1. Owner ship details & establishment of firm
2. Balance sheets for last 5 years.
3. Turn over for last 5 years.

Note : The bidder should submit the above details duly certified by the Chartered accountant.

Work Details & Key Schedule:

S.No	Department Name	APTDC LTD
1.	Circle	Superintending Engineer, APTDC LTD, Vijayawada
2.	Tender subject	Supply, installation, testing, commissioning, operation, maintenance & run for cable car/Ropeway(Jig back system monocable) to kotappakonda at Narasaraopet (M), Guntur (DT), Andhra Pradesh state, India
3.	Period of contract	6 months
4.	Form of contract	EPC – Turn key
5.	Tender type	Selection basis
6.	Tender category	works
7.	Emd/Bid security	Rs 5 lakhs
8.	Processing fee	Rs 10,000 INR (non – refundable)
9.	EMD/Bid security payable to	APTDC LTD, Vijayawada
10	Bid document downloading start date	23.05.2018
11.	Bid document downloading end date	05.06.2018
12.	Bid submission closing date	05.06.2018
13.	Technical bids opening date	06.06.2018
14.	Price bid opening date (financial bid)	07.06.2018
15.	Place of tender opening	Office of the Superintending engineer APTDC LTD, Vijayawada Andhra Pradesh
17.	Address/emailed of Contact person	Office of the Superintending engineer APTDC LTD, Vijayawada Andhra Pradesh
18.	Contact details, telephone, fax	SE 98480-07026 Consultant (RW) 7893602578
19.	Local contact person for site visit	Govind Reddy, Dy. Executive Engineer. 8096043344

Rope way System Description:

The proposed ropeway is “ Multi cabin mono cable jig back system”. The main rope is for both carrying and hauling the cabin, is supported on sheaves on the line towers and made endless on terminal sheaves. Two group of cabins are fixed to the rope, one group at the upper terminal and the other at the lower terminal.

When the cabins are stationery at the terminal stations , tourists board/ alight from the cabin. Cabin attendants to help the tourists for safe boarding/ alighting. Rope drive is controlled by proper signalling of the concern staff at both upper and lower stations. One group of cabin go up, the second group of cabins on the upper terminal station start to come down with tourists on the same manner.

Along the ropeway route alignment , under worst conditions of sag and wind velocity, minimum clearance to the underside of the cabin and the sufficient clearance to tower structure will be maintained as per the provisions of IS code and practice.

Terminal Station:

Lower Terminal Station: The lower terminal station shall be a ground level structure. Speed of an incoming cabin group on approaching the station, shall be automatically retarded and the cabins shall come to a dead halt at a pre determined location. After de- boarding of tourists, who have arrived from upper station, the new tourists waiting in the queue will board the cabins. The stations attendant shall communicate to the drive operator. On having similar communication from the upper terminal attendant, the drive operator shall start the drive. Cabins shall proceed to the upper terminal.

Upper Terminal Station: The upper terminal station shall also be a ground level structure. Operation at this station is also similar to the lower station. Rope drive location either at the lower station or upper station may be decided at the final stage of design.

Tension Device: This is required to keep the main rope under required tension for safe running of the ropeway.

Hydraulic tensioning device or ballast loading device as per the design need to be installed.

List of Passenger Amenities & Entry

1. Queuing Area
2. Waiting hall
3. Drinking water facility
4. Wash rooms (Ladies& Gents)
5. First Aid Room
6. Souvenir Shop
7. Ticket Counter
8. Electric Gate Entry.

Rope way Components

1. Main wire Rope Shall be of 6x17/19 construction with PP core 1770N/Sq.mm tensile designation.

2. **Driving Gear :**

One set of driving unit of modern design and construction comprising of

- a) Heavy main drive sheave of suitable dia of cast steel/MS fabricated construction with special aluminium liner (as per the design framing).
- b) Alloy steel driving sheave shaft provided with heavy roller bearing mountings.(as per the design framing).
- c) Open ring gear with machine cut teeth and steel shafting, running in heavy ball or roller bearing mountings. (as per the design framing).
- d) Special enclosed high speed reduction gear with machine cut teeth and steel shafting, running in heavy ball or roller bearings mounting. (as per the design) (Preferably new Allanberry make gear box)
- e) One set thrusters operated band brake mounted on drive sheave.
- f) One set of electro Hydraulic thrusters operated drum brake on motor coupling.
- g) One set of jaw clutch with manually operated lever for engagement with diesel engine coupled with manually operated brake.
- h) Main drive motor with powerful and control device.(as per design rating).
- i) Suitable rated diesel engine for auxiliary drive of the plant in the event of failure of the electrical system.(diesel engine rating will be as per the design).

3. Tension Gear :

one set of mechanical parts for the automatic tension of the main rope comprising of return-cum /tension sheave of cast steel/fabricated steel construction mounted on ball or roller journal and thrust bearings, trolley mounted on rollers, track for trolley, hydraulic cylinders, power pack, piping work etc.

4. Trestle Mounts :

Necessary pair of quadruple consists or special wheels with synthetic rubber liners of suitable diameter fitted with grease packed bearings, built up steel beams which in turn shall be totally mounted on a special pedestal/line lower. (as per the design drawing).

5. Station Mountings :

All necessary mounts and single wheels fitted with ball bearings for use on the station, mounted with rubber/nylon tyres.

6. Cabins :

cabins shall be of best quality with special hinged doors, opening along with axis of the rope way with provision for locking from outside. Cabins shall be fully covered and weather protected. (Approval of APTDC is required)

7. Cabin Hangers :

cabin hangers shall be made of rolled steel section carefully welded by Jigi and fixtures to avoid distortion. The cabin shall be suspended from the hanger through hinged, rubber padded supports, so that it remains always in plumb position.

8. Grip : fixed grip system to the rope.**9. Auxiliary Drive :** To operate drive at slow speed in case of failure of the main power supply or any defect in the drive motor, a diesel engine drive unit shall be provided. The engine shall be of reputed make and shall be fitted with suitable gear box, clutch, accelerator, brake mechanism, fuel tank, gauges etc. (as per the design drawing and design rating and specification).**10. Steel work :**

All steel work shall be made of rolled steel section, bolted or welded. Fabrication shall be in accordance with latest Indian Standards . Structure shall include all supports , bracing, service platform, ladders etc with proper paintings.

11. Electricals :

control panel and various electrical components as per the design and standards practices prevailing in the industry.

12.Civil works : civil works shall confirm to respective Indian Standards.

13.Paintings :

All equipments and structure shall be supplied with double coat of red oxide primer followed by a coat of synthetic enamel paint.

14.Tele communication :

suitable communication system between Terminals shall be provided.

This is turn key work for design, construct with supply, installation, testing, commissioning , operation , maintenance and run the ropeway for one year.

Ropeway system : Jig back , Mono – rope with fixed Gandolas.

The broad scope of work as defined in the following paragraphs indicative but not limited to the following only and the contactor shall carry out all the items of work for the successful completion and commissioning of the above ropeway system.

Broad scope of work :

1. Location survey, soil testing, system design and detailed engineering.
2. Fabrication, supply of all plant machinery, equipment and safeties according to the specification and design.
3. Execution of all civil engineering work i.e terminal stations, trestles etc; including its slope protection work.
4. Control system consisting of panels and centralised monitoring system.
5. Installation and erection of power back DG set as per the design capacity.
6. Supply and erection of power back DG set as per the design capacity. It shall be capable for full capacity load requirement for passenger ropeway and its related terminals.
7. Internal and external electrification of the terminals including fixtures and lamps , line lighting for operation of the system.
8. Ventilation, PA system and necessary fire extinguishers as per local regulation need to be provided in the terminal buildings.
9. Suitable communication system for operation, efficient and safe functioning of the ropeway.
10. Testing and commissioning.
11. Maintenance workshop with suitable machinery, jig and fixtures is to be established.

Requirement of Ropeway system :

Passenger ropeway at kotappakonda punyakshetram.

<u>S.no</u>	<u>Description</u>	<u>Parameter/specification</u>
1.	capacity of the ropeway	150 pph on one side
2.	line speed	3 m/sec to 5 m/sec
3.	length of the rope way	500 meter (approx)
4.	vertical rise	130 meter (approx)
5.	Alignment	Straight
6.	Line gauge	5 meters
7.	No.of towers	02
8.	No of cabins in line	02
9.	Total no of cabins	04
10.	Rope	40 mm o 6x17/19 with pp core. Grade 1770, MB L- 85 Mt
11.	Main Drive	80 HP (minimum)
12.	Gear box	as per the design
13.	Emergency drive	20 HP
14.	Stand by DG set	125 KVA (minimum)
15.	Power supply	415 V , 3 phase 50 cycles (To be acquired by the executing agency)
16.	Safety and supervision control System	1. Control system 2. Safety criteria s 3. line safeties 4. Operational safeties 5. Electrical and fire protection. 6. communication System 7. Public Addressing System.

- The details of specification mentioned are indicative and for guidance. Final specification will be as for the final design of the ropeway.
- Bidder to submit the following in technical part:
 1. Conceptual drawings of terminals and its layout.
 2. Broad technical specification of system offered.
- The ropeway and infrastructure should be designed and supplied for 12 hours working per day.
- The values of ropeway length and level between stations are approximate and may vary during the detailed design.
- In accordance with the scope of work and bidders assessment of site condition, the bidder shall quote their best offer. Site visit of the bidder before submission of the bid is very important as bidders are expected to obtain their own information.
- All the components of the ropeway system and other equipment shall be designed for trouble free operation as per the condition prevailing at site.
- It may be noted that this is a turn key project contract including design as per the scope of work. Any variation in height and length as indicated need to be executed at no extra cost.
- Design drawings and work sheets to be submitted to corporation for third party approval.
- The designs and details prepared by the contractor shall get vetted from the proof consultancy agency independently, the cost of which should be entirely borne by the contractor.
- Construction insurance coverage till completion of the project is the responsibility of the contractor.
- Every part of ropeway installation and its associated equipment shall be designed with consideration given to the safety of the passengers, general public and operating staff and shall be designed in compliance with IS code practice.
- Factor of safety of various components used in Ropeway to be informed along with design drawings and worksheets.

Bureau of Indian standards concerning Ropeway Construction Codes and standard Practices :

All work shall generally confirm to the requirements of the latest revisions and / or replacements of any other relevant Indian Standard Specifications and codes of practice.

Make:

Make of some of the major equipment like main motor, diesel engine, alternator etc; and structural members are given below

1. Diesel Engine : Kirloskar/Greaves/ Cummins/ Caterpillar.
2. Gear Box : David brown/Elecon/FMG/NAW
3. Main Motor : KEC/Crompton Greaves/ Bharat Bijlee/
Brown Boveri/ Siemens.
4. Alternator : Stanford/Kirloskar/AVK.
5. Wire Rope : Usha Martin/ Bharat ropes.
6. Fire extinguisher : Firex/ Minimax/ Steelage.
7. Control system : Siemens /L&T/ Allan Broadley.
8. Air Circuit Breaker : L&T / C-Power/GE-Power/Siemens.
9. MCB : Hager/GE/MDS
10. Protection Relays : GE Power/ AVK-SEGC/ L&T.
11. Structural Members : SAIL
12. MS/GI pipe : Tata/Jindal

Stage -wise Payment schedule

S.No	Description of work	Percentage payment of bid document
1.	APTDC approval of technical specifications, concluding agreement and supply of basic material to start work at site.	5.00%
2.	Payment on submission of design & drawing for final approval	5.00%
3.	Payment and completion of lower and upper stations.	15.00%
4.	Payment on supply of Ropeway machinery i.e rope, gear box, motors and cabins with all required accessories etc; complete	30.00%
5.	After installation of towers, trestles, Ropeway system including trial run etc; complete	20.00%
6.	After supply, installation, testing and commissioning of ropeway system (running mode) etc; complete	15.00%
7.	After completion of Ropeway system one year running , the final amount will be released	10.00%
	Total	100.00

APPENDIX II - FORMAT FOR COVERING LETTER

(On the letterhead of the sole/ lead Bidder)

Date:

To

<<Name and address of the Employer>>

Dear Sir/ Madam:

Sub: Selection of Bidder for establishment of Ropeway at kotappakonda, Guntur District, Andhra Pradesh

Being duly authorized to represent and act on behalf of..... (hereinafter referred to as “the Bidder”), and having reviewed and fully understood all of the proposal requirements and information collected and provided to us, the undersigned hereby submits the Proposal on behalf of *(Name of the Bidder)* in response to the Bid for the abovementioned project with the details as per the requirements of Bid.

We confirm that our offer is valid for a period of 3 months from *(insert the Bid Due Date)*.

We understand that any omission, commission, miss-statement in factual statements made by us will make our Bid invalid at any time during the course of Bidding Process and also after award of the project. The Employer reserves the right to take appropriate action accordingly. We understand that the Employer reserves the right to accept or reject any or all the Bids and reserves the right to withhold and/or cancel the Bidding Process.

We also hereby agree and undertake as under:

Notwithstanding any qualifications or conditions, whether implied or otherwise, contained in our offer we hereby represent and confirm that our Bid is unconditional in all respects and we agree to the terms of the Agreement.

Yours faithfully,

For and on behalf of

Name of Bidder

Duly signed by the Authorized Signatory of the Bidder

(Name, Title and Address of the Authorized Signatory)

APPENDIX III – GENERAL INFORMATION

(To be provided by sole bidder/ all bidders in a consortium)

1. Bidder details
 - a. Name of the Bidder
 - b. Bidder's Constitution (Proprietorship / Partnership / Private Limited / Public Limited)
 - c. Country of incorporation
 - d. Address of corporate headquarters and its branch office(s), if any, in India
 - e. Date of incorporation and/or commencement of business
2. Details of individual (s) who will serve as the point of contact / communication within the Company:
 - a. Name:
 - b. Designation:
 - c. Company:
 - d. Address:
 - e. Telephone Number:
 - f. E-Mail Address:
 - g. Fax Number:
3. Name, Designation, Address and Phone Numbers of Authorized Signatory of the Bidder:
 - a. Name:
 - b. Designation:
 - c. Company:
 - d. Address:
 - e. Telephone Number/ Fax Number:
 - f. E-Mail Address:

Signature of the Authorized Person

(Name, Designation and Address)

Appendix VI - Format for Financial Eligibility

(To be provided on letter head by sole bidder/ all bidders in a consortium)

Bidder name	
Annual Turnover	FY 2012-13: INR FY 2013-14: INR ; FY 2014-15: INR FY 2015-16: INR FY 2016-17: INR

Along with this Appendix, the Bidder should provide an Auditors/ CA Certificate for the Annual Turnover quoted above

Appendix VII Bank Guarantee Format

B.G. No. Dated:

In consideration of you, <<name and address of the Employer>> , (hereinafter referred to as the "Employer", which expression shall unless it be repugnant to the subject or context thereof include its, successors and assigns) having agreed to receive the Bid of

_____ (a company registered under the Companies Act, 1956) and having its registered office at _____ (and acting on behalf of its Consortium) (hereinafter referred to as the "Bidder" which expression shall unless it be repugnant to the subject or context thereof include its/their executors, administrators, successors and assigns), for <<project>> at <<>> (hereinafter referred to as "the Project") pursuant to the **Bid** Document dated _____ issued in respect of the Project and other related documents including without limitation the draft Service agreement (hereinafter collectively referred to as "Bidding Documents"), we _____ (Name of the Bank) having our registered office at _____ and one of its branches at

_____ (hereinafter referred to as the "Bank"), at the request of the Bidder, do hereby in terms of Clauses of the **Bid** Document, irrevocably, unconditionally and without reservation guarantee the due and faithful fulfilment and compliance of the terms and conditions of the Bidding Documents by the said Bidder and unconditionally and irrevocably undertake to pay forthwith to the Employer an amount of INR. (Rupees only) (hereinafter referred to as the "Guarantee") as our primary obligation without any demur, reservation, recourse, contest or protest and without reference to the Bidder if the Bidder shall fail to fulfil or comply with all or any of the terms and conditions contained in the said Bidding Documents.

1. Any such written demand made by the Employer stating that the Bidder is in Default of the due and faithful fulfilment and compliance with the terms and conditions contained in the Bidding Documents shall be final, conclusive and binding on the Bank.
2. We, the Bank, do hereby unconditionally undertake to pay the amounts due and payable under this Guarantee without any demur, reservation, recourse, contest or protest and without any reference to the Bidder or any other person and irrespective of whether the claim of the Employer is disputed by the Bidder or not, merely on the first demand from the Employer stating that the amount claimed is due to the Employer by reason of failure of the Bidder to fulfil and comply with the terms and conditions contained in the Bidding Documents including failure of the said Bidder to keep its Bid open during the Bid validity period as set forth in the said Bidding Documents for any reason whatsoever. Any such demand made on the Bank shall be conclusive as regards amount due and payable by the Bank under this Guarantee.
3. This Guarantee shall be irrevocable and remain in full force for a period of 240 (two hundred and forty) days from the Bid Due Date inclusive of a claim period of 60 (sixty) days or for such extended period as may be mutually agreed between the Employer and the Bidder, and agreed to

by the Bank, and shall continue to be enforceable till all amounts under this Guarantee have been paid.

4. We, the Bank, further agree that the Employer shall be the sole judge to decide as to whether the Bidder is in default of due and faithful fulfilment and compliance with the terms and conditions contained in the Bidding Documents including, inter alia, the failure of the Bidder to keep its Bid open during the Bid validity period set forth in the said Bidding Documents, and the decision of the Employer that the Bidder is in default as aforesaid shall be final and binding on us, notwithstanding any differences between the Employer and the Bidder or any dispute pending before any Court, Tribunal, Arbitrator or any other Employer.

5. The Guarantee shall not be affected by any change in the constitution or winding up of the Bidder or the Bank or any absorption, merger or amalgamation of the Bidder or the Bank with any other person.

6. In order to give full effect to this Guarantee, the Employer shall be entitled to treat the Bank as the principal debtor. The Employer shall have the fullest liberty without affecting in any way the liability of the Bank under this Guarantee from time to time to vary any of the terms and conditions contained in the said Bidding Documents or to extend time for submission of the Bids or the Bid validity period or the period for conveying acceptance of Letter of Award by the Bidder or the period for fulfilment and compliance with all or any of the terms and conditions contained in the said Bidding Documents by the said Bidder or to postpone for any time and from time to time any of the powers exercisable by it against the said Bidder and either to enforce or forbear from enforcing any of the terms and conditions contained in the said Bidding Documents or the securities available to the Employer, and the Bank shall not be released from its liability under these presents by any exercise by the Employer of the liberty with reference to the matters aforesaid or by reason of time being given to the said Bidder or any other forbearance, act or omission on the part of the Employer or any indulgence by the Employer to the said Bidder or by any change in the constitution of the Employer or its absorption, merger or amalgamation with any other person or any other matter or thing whatsoever which under the law relating to sureties would but for this provision have the effect of releasing the Bank from its such liability.

7. Any notice by way of request, demand or otherwise hereunder shall be sufficiently given or made if addressed to the Bank and sent by courier or by registered mail to the Bank at the address set forth herein.

8. We undertake to make the payment on receipt of your notice of claim on us addressed to _____ [name of Bank along with branch address] and delivered at our above branch which shall be deemed to have been duly authorized to receive the said notice of claim.

9. It shall not be necessary for the Employer to proceed against the said Bidder Before proceeding against the Bank and the guarantee herein contained shall be enforceable against the Bank, notwithstanding any other security which the Employer may have obtained from the said Bidder or any other person and which shall, at the time when proceedings are taken against the Bank hereunder, be outstanding or unrealized.

10. We, the Bank, further undertake not to revoke this Guarantee during its currency except with the previous express consent of the Employer in writing.

11. The Bank declares that it has power to issue this Guarantee and discharge the obligations contemplated herein, the undersigned is duly authorized and has full power to execute this Guarantee for and on behalf of the Bank.

13. For avoidance of doubt, the Bank's liability under this Guarantee shall be restricted to INR (Rupees only). The Bank shall be liable to pay the said amount or any part thereof only if the Employer serves a written claim on the Bank on or before

_____ (indicate date falling 240 days after the Bid Due Date)].

Signed and Delivered by Bank

By the hand of Mr./Ms , its and authorized Official.

(Signature of the Authorized Signatory)

(Official Seal)

Appendix VIII – Format for Price Bid

(To be submitted on letter head of sole/ lead bidder)

Date:

To

<<Employer name and address>>

Dear Sir/ Madam

Ref: Design, Construct with Supply, Installation, Testing Commissioning, Operation, Maintenance and run for Cable Car/Ropeway for One year(Jigback system-monocable) at Kotappakonda, Guntur District, Andhra Pradesh

- i. I/ we agree to undertake the scope work for establishment of ropeway on the stipulated terms and conditions and other particulars therein. I / we hereby submit our unconditional financial proposal
- ii. I/We quote Rupees _____ (Rupees in words followed by Rs. in figures in brackets) inclusive of all applicable taxes and duties.
- iii. We abide by the above quote, terms and conditions of the Bid, if employer selects us as the Agency for this particular project.
- iv. We also understand that, in case any difference between the quoted amount in words and figures, the quote in words will be taken as final.
- v. We agree that this offer shall remain valid for a period of 90 days from the Proposal Due Date or such further period as may be mutually agreed upon.

For and on behalf of:

Signature:

(Authorized Representative and Signatory of the Bidding Company) Name of the Person:

Designation:

SEAL OF THE BIDDING ENTITY